

Nautitool[™]

The Global Source for Stainless Steel Tie Downs & Tools

STAINLESS STEEL TIE DOWNS PRODUCT CATALOG 2009



www.nautitool.com
Email: steritool@steritool.com

Customer Service:
860-230-0012
860-564-6876

Order Department Fax:
860-564-7159

1" Stainless Steel Tie Downs

Standard strap length is 16 ft. We stock shorter lengths of 3ft, 4ft, 6ft, 10ft, and 12ft. Any shorter length, even if not listed above, can be substituted in place of standard length. Specify with your order. *There is no price reduction for shorter lengths.*



10410



10420



10406

10406	1" "Overcenter" buckle tie-down, 304 body, 3" hooks, 316 SS, 16ft. black nylon strap. 260lbs. Working Load (500lbs. minimum ultimate load)	\$52.00
10406P	1" "Overcenter" buckle tie-down, 304 body, 3" hooks, 316 SS, 16ft. blue polyester strap . 260lbs. Working Load (600lbs. minimum ultimate load)	\$52.00
10407	1" "Overcenter" buckle, 304 body, 260lbs. Working Load (600lbs. minimum ultimate load)	\$8.00
10410	1" Ratchet tie-down, 304 body, 3" hooks, 316 SS, 16ft. black nylon strap. 260lbs. Working Load (800lbs. minimum ultimate load)	\$56.00
10410P	1" Ratchet tie-down, 304 body, 3" hooks, 316SS, 16ft. blue polyester strap . 260 lbs. Working Load (800lbs. minimum ultimate load)	\$56.00
10405	1" Ratchet buckle, 304SS, no webbing, no hooks, 400lbs. 400 lbs. Working Load (800lbs. min. ult. load)	\$12.00
10420	1" Heavy Duty Ratchet tie-down, 304 body, 3" hooks, 316 SS, 16ft. black nylon strap. 260 lbs. Working Load (800lbs. minimum ultimate load)	\$61.00
10420P	1" Heavy Duty Ratchet tie-down, 304 body, 3" hooks, 316SS, 16ft. blue polyester strap . 260 lbs. Working Load (800lbs. minimum ultimate load)	\$61.00
10401	1" HD Ratchet buckle, Handle grip is 2.25" wide 304SS, no webbing, no hooks 500 lbs. Working Load (900lbs. min. ult. load)	\$18.00

1 1/2" Stainless Steel Tie Downs

Standard strap length is 20ft for ratchet tie downs, 16ft for overcenter.

We stock shorter lengths of 3ft, 4ft, 10ft, and 12ft. Any shorter length, even

if not listed above, can be substituted in place of standard length. Specify with your order.

There is no price reduction for shorter lengths.




10400




10447



10444



10408



10402


10400	1 1/2"(35mm) Ratchet tie-down, 304 SS body. 4" hooks, 316SS 20ft. black nylon webbing 1100lbs.Working Load (4,400lbs.minimum ultimate load)	\$108.00
10400P	1 1/2"(35mm) Ratchet tie-down, 304 SS body. 4" hooks, 316SS 20ft. blue polyester webbing 1100lbs.Working Load (4,400lbs.minimum ultimate load)	\$108.00
10402	1 1/2" (35mm) Ratchet buckle, 304 SS body only, no webbing, no hooks. 1100lbs.Working Load (4,400lbs.minimum ultimate load)	\$35.00

10447	1 1/2"(35mm) Wide handle Ratchet tie-down, 304 SS body. 4" hooks, 316SS 20ft. black nylon webbing 1000lbs.Working Load (4,000lbs.minimum ultimate load)	\$111.00
10447P	1 1/2"(35mm) Wide handle Ratchet tie-down, 304 SS body. 4" hooks, 316SS 20ft. blue polyester webbing 1000lbs.Working Load (4,000lbs.minimum ultimate load)	\$111.00
10449	1 1/2" (35mm) Wide handle Ratchet buckle. Handle grip is 4" wide 304 SS body only, no webbing, no hooks. 1000lbs.Working Load (4,000lbs.minimum ultimate load)	\$38.00

10444	1 1/2"(35mm) Overcenter tie-down, 304 SS body. 4" hooks, 316SS 16ft. black nylon webbing 400lbs.Working Load (800lbs.minimum ultimate load)	\$83.00
10444P	1 1/2"(35mm) Overcenter tie-down, 304 SS body. 4" hooks, 316SS 16ft. blue polyester webbing 400lbs.Working Load (800lbs.minimum ultimate load)	\$83.00
10408	1 1/2" (35mm) Overcenter buckle, 304 SS body only, no webbing, no hooks. 400lbs.Working Load (800lbs.minimum ultimate load)	\$14.00

2" Stainless Steel Tie Downs

Standard strap length is 20ft. We stock shorter lengths of 3ft, 6ft, 10ft, and 12ft. Any shorter length, even if not listed above, can be substituted in place of standard length. Specify with your order. *There is no price reduction for shorter lengths.*



10415	2" Ratchet tie-down, 304 body, 5" hooks, 316SS, 20 ft. black nylon webbing. 1,540 lbs. Working load. (7,700 lbs. minimum ultimate load)	\$140.00
10415P	2" Ratchet tie-down, 304 body, 5" hooks, 316SS, 20 ft. blue polyester webbing . 1,540 lbs. Working load. (7,700 lbs. minimum ultimate load)	\$140.00
10404	2.0" (50mm) Ratchet buckle, 304 body. 1,540 lbs. Working load. (7,700 lbs. min. ult. load) no hooks, no webbing.	\$44.00
10416	2" "Overcenter" tie-down, 304 body, 4" hooks, 316SS, 20 ft. black nylon webbing. 500lbs. Working load. (1,000 lbs. minimum ultimate load)	\$89.00
10416P	2" "Overcenter" tie-down, 304 SS body, 4" hooks, 316SS, 20 ft. blue polyester webbing . 500 lbs. Working load. (1,000 lbs. minimum ultimate load)	\$89.00
10403	2" Overcenter buckle, 304 body. No webbing. 500lbs. Working load. (1,000lbs. min. ult. load)	\$12.00

Stainless Steel End Fittings

Available Individually or as customized options on Tie Down systems



10450	1" Flat Hook, 316SS 350lb W.L.	\$6.00
10451	1 1/2" Flat Hook, 316SS, 1320lb. W.L.	\$10.00
10452	2.0" Flat Hook, 316SS, 1800lb. W.L.	\$11.00
10453	1" Double J Hook, 316SS,350lb. W.L.	\$8.00
10454	1 1/2" Double J Hook, 316SS,1320lb. W.L.	\$9.00
10455	2" Double J Hook, 316SS, 2000lb. W.L.	\$11.00
10456	1"x 1/4" "S" Hook Welded, 304SS, 150lb. W.L.	\$8.00
10457	1 1/2"x5/16" S Hook Welded, 304SS, 200lb. W.L.	\$8.00
10458	2"x 3/8" S Hook Welded, 304SS, 300lb. W.L.	\$9.00
10459	1"x 1/4" Dee Ring 316SS, 1,300lb. W.L.	\$6.00
10460	1 1/2"x 1/4" Dee Ring, 316SS, 900lb. W.L.	\$6.00
10461	2"x 5/16" Dee Ring, 316SS, 1,300lb. W.L.	\$6.00
10462	1" Fixed Strap Adjuster Plate, 304SS, 300lb. W.L.	\$6.00
10463	1 1/2" Fixed Strap Adjuster Plate, 304SS, 400lb. W.L.	\$7.00
10464	2" Fixed Strap Adjuster Plate, 304SS, 500lb. W.L.	\$7.00

**TERMS & CONDITIONS OF SALE
(domestic customers)**

**STERITool, INC.,
69 Brunswick Ave
Moosup, CT 06354 U.S.A.
TEL 860-230-0012
steritool@steritool.com**

The Terms and Conditions presented here apply to all purchases and sales of items. Your purchase means you have accepted our Terms and Conditions of Sale.

WARRANTY

All STERITool INC Products carry a lifetime warranty against material and manufacturing defects. We do not warranty against components broken due to misuse and or abuse.

All products, unless otherwise noted, are first quality. If you receive a product that does not meet the specifications advertised in our catalog, web site, stated by our sales agents, or stated in any other official literature released by STERITool INC, please contact us immediately. We will promptly provide a refund, credit, or exchange (all subject to Q.A. inspection and/or 10% re-stocking fee) providing it is returned in same condition as sold and within 30 days of invoice date.

INSPECTION UPON RECEIPT OF GOODS

All orders must be inspected by the intended recipient or authorized personnel in your receiving department within 72 hours of receiving the shipment. All claims, including but not limited to lost, missing or broken items, must be reported within this 72 hour period. After 72 hours the recipient will be responsible for filling claims with the carrier.

RETURNS & EXCHANGES

All returned merchandise must be in same condition as sold. Special Projects/Custom Orders can not be returned. Before returning an item, please call us to get a Return Authorization number. We will not be responsible for any unauthorized returns. ALL RETURNS MUST BE SHIPPED VIA UPS GROUND UNLESS INSTRUCTED OTHERWISE. Returns due to material or manufacturing defects will be exchanged free of charge.

RETURN PERIOD

30 days from invoice date and 10% re-stocking fee.

We will accept returns for a 30 day period from invoice date with 10% re-stocking fee (subject to Q.A. inspection). During those 30 days, you may return an item for a full refund/credit (minus 10% re-stocking fee), or exchange, providing that the item is in same condition as sold. After 30 days we will not accept any returns. Returns due to material or manufacturing defects will be exchanged free of charge.

SPECIAL PROJECTS & CUSTOM ORDERS

Custom orders or tool(s) modified from the original specification can not be returned.

BROKEN OR DAMAGED TOOL(S)

Broken or damaged tool(s) will be analyzed on a case by case basis. We will determine the cause of the damage by carefully analyzing the tool(s). If the cause of the damage is determined to be a manufacturing or a material defect, we will replace the tool(s). If the cause of damage is determined to be misuse of the tool(s), it will be the sole responsibility of the customer to replace the tool(s) at their own cost.

REV. 4. 12/04/2008

INTERNATIONAL TERMS & CONDITIONS OF SALE

**STERITool, INC.,
67 Brunswick Ave
Moosup, CT 06354 U.S.A.
TEL: 860-230-0012
FAX: 860-564-7159
steritool@steritool.com**

The Terms and Conditions presented here apply to all purchases and sales of items. Your purchase means you have accepted our Terms and Conditions of Sale.

PLACING A PURCHASE ORDER WITH STERITool INC

- All purchase orders must be submitted by FAX, E-Mail, or thru our web site.
- All purchase orders must contain a valid E-Mail address, phone #, fax #, and contact name.
- All purchase orders must have a valid PO#.
- Purchase Order with incorrect part numbers, descriptions, and/or pricing will be returned for correction.

QUOTES

- All requests for quotes must be submitted by FAX or E-Mail.
- All requests for quotes must contain a valid E-Mail address, phone #, fax #, and contact name.
- All quotes issued by STERITool INC are only valid for 90 days with in that calendar year (a quote from year 2006 is not valid in 2007).
- Quoted shipping charges are subject to change with out notice.

SHIPPING

- All International shipments must be shipped on the recipients FEDEX or UPS account. If you do not have a FEDEX or UPS account, your shipment will default to FEDEX Prepay and Add. We no longer ship UPS International.
- International customers may request a third party carrier or send their preferred carrier to pick-up.
- All RETURN shipments must be shipped to STERITool INC free of freight, import, duties, tax, brokerage, and other charges. Any returns baring financial burden to STERITool INC will not be accepted.
- Quoted shipping charges are subject to change with out notice.
- Tracking details are issued to E-Mail address provided on your Purchase Order.

PAYMENTS

- Payments must be made in US Funds (\$).
- STERITool INC does not accept International Money Orders, Bank Checks, Business Checks, Personal Checks, or any other form of payments excluding Pay Pal, Credit Card, or Wire Transfer.
- All payments made to STERITool INC must reference our invoice number.
- All payments must match the TOTAL AMOUNT ON THE ORIGINAL INVOICE. If your bank is deducting transfer fees please make sure you do not pass on those costs to STERITool INC.
- Do not make any modifications to our invoices. Please contact us for corrections, credits, and refunds. We will issue you a corrected invoice.

WARRANTY

All STERITool INC Products carry a lifetime warranty against material and manufacturing defects. We do not warranty against components broken due to misuse and or abuse.

All products, unless otherwise noted, are first quality. If you receive a product that does not meet the specifications advertised in our catalog, web site, stated by our sales agents, or stated in any other official literature released by STERITool INC, please contact us immediately. We will promptly provide a refund, credit, or exchange (all subject to Q.A. inspection and/or 10% re-stocking fee) providing it is returned in same condition as sold and within 30 days of invoice date.

INSPECTION UPON RECEIPT OF GOODS

All orders must be inspected by the intended recipient or authorized personnel in your receiving department within 72 hours of receiving the shipment. All claims, including but not limited to lost, missing or broken items, must be reported within this 72 hour period. After 72 hours the recipient will be responsible for filling claims with the carrier.

RETURNS & EXCHANGES

All returned merchandise must be in same condition as sold. Special Projects/Custom Orders can not be returned. Before returning an item, please contact us to get a Return Authorization number. We will not be responsible for any unauthorized returns. Returns due to material or manufacturing defects will be exchanged free of charge.

RETURN PERIOD

30 days from invoice date and 10% re-stocking fee.

We will accept returns for a 30 day period from invoice date with 10% re-stocking fee (subject to Q.A. inspection). During those 30 days, you may return an item for a full refund/credit (minus 10% re-stocking fee), or exchange, providing that the item is in same condition as sold. After 30 days we will not accept any returns. Returns due to material or manufacturing defects will be exchanged free of charge.

SPECIAL PROJECTS & CUSTOM ORDERS

Custom orders or tool(s) modified from the original specification can not be returned.

BROKEN OR DAMAGED TOOL(S)

Broken or damaged tool(s) will be analyzed on a case by case basis. We will determine the cause of the damage by carefully analyzing the tool(s). If the cause of the damage is determined to be a manufacturing or a material defect, we will replace the tool(s). If the cause of damage is determined to be misuse of the tool(s), it will be the sole responsibility of the customer to replace the tool(s) at their own cost.

REV. 4i. 12/04/2008